

CERTIFICATE OF COMPLIANCE

Certificate Number 20160218-MH28539
Report Reference MH28539-20020802
Issue Date 2016-FEBRUARY-18

Issued to: SHENZHEN RITAR POWER CO LTD
UNIT 9 FUQIAO, 2 INDUSTRY AREA
BAO'AN, FU YONG TOWN
SHENZHEN
GUANGDONG 518000 CHINA

This is to certify that representative samples of COMPONENT - BATTERIES, STANDBY
See addendum page


Have been investigated by UL in accordance with the Standard(s) indicated on this Certificate.

Standard(s) for Safety: Standby Batteries, UL1989
Additional Information: See the UL Online Certifications Directory at www.ul.com/database for additional information

Only those products bearing the UL Certification Mark should be considered as being covered by UL's Certification and Follow-Up Service.

Recognized components are incomplete in certain constructional features or restricted in performance capabilities and are intended for use as components of complete equipment submitted for investigation rather than for direct separate installation in the field. The final acceptance of the component is dependent upon its installation and use in complete equipment submitted to UL LLC.

Look for the UL Certification Mark on the product.



Bruce Mahrenholz, Director North American Certification Program
UL LLC

Any information and documentation involving UL Mark services are provided on behalf of UL LLC (UL) or any authorized licensee of UL. For questions, please contact a local UL Customer Service Representative at <http://ul.com/aboutul/locations/>



CERTIFICATE OF COMPLIANCE

Certificate Number 20160218-MH28539
Report Reference MH28539-20020802
Issue Date 2016-FEBRUARY-18

This is to certify that representative samples of the product as specified on this certificate were tested according to the current UL requirements.

Models

Component – Sealed cell, rechargeable lead-acid batteries, Models RT612, RT625, RT628, RT632, RT640, RT645, RT650, RT660, RT670, RT680, RT6100, RT6120, RT1212, RT1219, RT1223, RT1225, RT1228, RT1232, RT1240, RT1245, RT1250, RT1270, RT1272, RT1275, RT1280, RT1290, RT12100, RT12120, RT12140, RT12150, RT12170, RT12180, RT12200, RT12240, RT12260, RT12280, RA12-33, RA12-38, RA12-40, RA12 55, RA12-60, RA12-65, RA12-80, RA12-100, RA12-120, RA12-150, RA12-200, RT613, RT620, RT623, RT642, RT655, RT672, RT665, RT680, RT6140, RT1213, RT1220, RT1222, RT1226, RT1255, RT1265, RT610, RT635, RT636, RT1229, RT1235, RT445, RT490, RT495, RT1295, RT2445, RT2470, RT24120, RT1250, RT1220C, RT1223C, RT1228, RT1290, RT12100, RT12220, RT12280, RA12-45, RA12-70, RA12-75, RA12-90, RA12-134, RA12-145, RA12-225, RA12-230, RA12-240, RA6-100, RA6-150, RA6-180, RA6-200, RA6-225, RA12-55F, RA12-75F, RA12-80F, RA12-90F, RA12-100F, RA12-105F, RA12-110F, RA12-120F, RA12-150F, RA12-160F, RA12-170F, RA12-180F, RL250, RL2100, RL2150, RL2200, RL2250, RL2300, RL2400, RL2500, RL2550, RL2600, RL2800, RL21000, RL21500, RL22000, RL23000, RT640S, RT655S, RT680Y, RT680S, RT1228S, RT1250B, RT1250Y, RT1256, RT12190, RT12240EV, RA12-35, RA12-60S, RA12-70S, RA12-85, RA12-100E, RA12-100S, RA12-120S, RA12-125F, RA12-135F, RA12-150SH, RA12-160, RA12-180, RA12-260, RL2650, RL21200, RL22500, RA6-200S and RA6-225S, EV6-205, EV6-225, EV8-200, RT690, RT1240S, RT1245S, RT1250S, RT12280S, RA12-155SH, RA12-90FS, RA12-125FS, RA12-125FB, RA12-150FS, RA12-180FS, RA12-185F, RA12-185FS, RA12-260F, RL2-350, RL2-450, RL2-750, RL2-1800, RA12-60EV, OPZV2-200, OPZV2-250, OPZV2-300, OPZV2-350, OPZV2-420, OPZV2-500, OPZV2-600, OPZV2-800, OPZV2-1000, OPZV2-1500, OPZV2-2000, OPZV2-3000,

Component – Sealed cell, rechargeable lead-acid batteries, Models DG12-33, DG2-3000, DG6-335, DG6-310, DG6-280, DG12-230, DG6-225, DG6-225S, HR6-850W, DG6-200, DG6-200S, DG6-180, HR12-125W, DG12-260, DG12-225, DG12-200, HR6-630W, HR12-580W, DG12-180, DG6-150, DG12-160S, DG12-145, HR12-520W, DG12-160, DG12-150, DG12-134, DG6-100, DG12-120, DG12-100, DG12-80, DG12-70S, DG12-65, HR12-240W, DG12-90, DG12-55, DG2-2500, DG2-2000, DG2-1500, DG2-1200, DG2-1000, DG2-800, DG2-750, DG2-650, DG2-600, DG2-500, DG2-450, DG2-400, DG2-350, DG2-300, DG2-250, DG2-200, DG2-100, HR12-340W, DG12-85, HR6-36W, HR6-32W, HR6-28W, HR6-22W, HR12-22W, HR6-20W, HR12-20W, HR12-20BW, HR6-18W, HR12-18W, HR6-16W, HR12-16W, DG12-26, HR12-104W, HR12-96W, HR12-88W, HR12-80W, HR12-68W, HR12-70W, HR12-60W, HR12-50W, HR12-48WB, HR12-48W, HR12-36W, HR12-38W, HR12-32W, HR12-32WB, HR12-28W, HR12-200W, DG12-40, HR12-150W, DG12-75, HR12-280W, DG12-70, DG12-60, RA6-225SH, RA12-33H, RA6-180H, RA12-155SH, RA12-145H, RA12-65H, RA12-90H, RT690H, RT680H, RT670H, RT655H, RT1255H, RT650H, RT1250H, RT1250BH, RT645H, RT1245H, RT640H, RT1240H, RT12260H, RT12240H, RT12220H, RT12200H, RT12190H, RT12180H, RT12170H, RT12140H, RT12120HB, RT12120H, RT1280H, RT1275H, RT1270H, RA12-55H, RA12-40H, RA12-75H, maybe followed by suffix "FR" to representative of using V-0 enclosure.



Bruce Mahrenholz, Director North American Certification Program

UL LLC

Any information and documentation involving UL Mark services are provided on behalf of UL LLC (UL) or any authorized licensee of UL. For questions, please contact a local UL Customer Service Representative at <http://ul.com/aboutul/locations/>




CERTIFICATE OF COMPLIANCE

Certificate Number 20160218-MH28539
Report Reference MH28539-20020802
Issue Date 2016-FEBRUARY-18

Component – Sealed cell, rechargeable lead-acid batteries, Models FT12-55, FT12-90, FT12-100, FT12-105, FT12-110, FT12-120, FT12-125, FT12-135, FT12-150, FT12-150S, FT12-160, FT12-170, FT12-180, FT12-180S, FT12-185, FT12-185S, FT12-260, DC12-9, DC12-10, EV12-10, DC12-12, EV12-12, DC12-18, EV12-18, DC12-20, EV12-20, DC12-22, EV12-22, DC12-26, EV12-26, DC12-28, EV12-28, DC12-28S, DC6-180, EV6-180, DC6-200, EV6-200, DC6-200S, DC6-225, EV6-225, DC6-225S, DC12-33, EV12-33, DC12-35, EV12-35, DC12-40, EV12-40, DC12-45, EV12-45, DC12-55, EV12-55, DC12-65, EV12-65, DC12-75, EV12-75, DC12-80, EV12-80, DC12-90, EV12-90, DC12-100, EV12-100, DC12-100S, EV12-100S, DC12-120, EV12-120, DC12-120S, EV12-110, DC12-134, EV12-134, DC12-145, EV12-145, DC12-150, EV12-150, DC12-160, EV12-160, DC12-180, EV12-180, DC12-200.

Component – Sealed cell, rechargeable lead-acid batteries, Models EV12-200, DC12-225, EV12-225, DC12-230, EV12-230, DC12-260, EV12-260, DC12-24, EV12-24, DC12-60, EV12-60, RA2-50, RA2-100, RA2-150.

Component – Sealed Cell, rechargeable lead-acid batteries, Models EV6-400, DC6-400, EV6-210, DC6-210, EV6-310, DC6-310, EV6-335, DC6-335, EV8-170, DC8-170, HR12-380W, RA12-100H, HR12-380SW, RA12-100SH, HR12-400W, HR12-450W, RA12-120H, HR12-570W, RA12-150H, HR12-570SW, RA12-150SH, HR12-650W, RA12-200H, HR12-690W, RA12-225H, HR12-780W, RA12-240H, OPzV12-60, OPzV12-80, OPzV12-100, OPzV12-120, OPzV12-140, OPzV12-160, OPzV12-180, OPzV12-200, RL2-200S, RL2-350S, RL2-400S, DC12-200S, HR12-210W, HR12-150W, RA12-40H, HR12-300W, HR12-350W, RA12-90H, maybe followed by suffix "FR" to representative of using V-0 enclosure.



Bruce Mahrenholz, Director North American Certification Program
UL LLC

Any information and documentation involving UL Mark services are provided on behalf of UL LLC (UL) or any authorized licensee of UL. For questions, please contact a local UL Customer Service Representative at <http://ul.com/aboutul/locations/>

